ELSEVIER

Applied Numerical Mathematics 30 (1999) 495–514

APPLIED NUMERICAL MATHEMATICS

www.elsevier.nl/locate/apnum

Master Index to Volumes 21–30

(For the sake of simplicity and uniformity, all names beginning with articles or prepositions are listed as if written as single words.)

Abarbanel, S. and D. Gottlieb, On the construction and analysis of absorbing layers in CEM — **27** (4) (1998) 331–340

Abbasian, R.O. and G.F. Carey, Hybrid MPE-iterative schemes for linear and nonlinear systems — **26** (3) (1998) 277–291

Abia, L.M., J.C. López-Marcos and J. Martínez, On the blow-up time convergence of semidiscretizations of reaction–diffusion equations — **26** (4) (1998) 399–414

Ahmad, I. and M. Berzins, An algorithm for ODEs from atmospheric dispersion problems — **25** (2–3) (1997) 137–149

Ainsworth, M. and B. Senior, An adaptive refinement strategy for *hp*-finite element computations — **26** (1–2) (1998) 165–178

Albrecht, P., The common basis of the theories of linear cyclic methods and Runge–Kutta methods — **22** (1–3) (1996) 3– 22

Alonso, P., M. Gasca and J.M. Peña, Backward error analysis of Neville elimination — **23** (2) (1997) 193–204

Alt, R. and J. Vignes, Validation of results of collocation methods for ODEs with the CADNA library — **21** (2) (1996) 119–139

Amodio, P. and L. Brugnano, ParalleloGAM: a parallel code for ODEs — **28** (2–4) (1998) 95–106

Andersen, E.D. and A. Damgaard, Utility based option pricing with proportional transaction costs and diversification problems: an interior-point optimization approach — **29** (3) (1999) 395–422

Andrade, E.X.L. de, see **A. Sri Ranga** — **21** (2) (1996) 175–183

Angermann, L., P. Knabner and K. Thiele, An error estimator for a finite volume discretization of density driven flow in porous media — **26** (1–2) (1998) 179–191

Apel, T. and G. Lube, Anisotropic mesh refinement for a singularly perturbed reaction diffusion model problem — **26** (4) (1998) 415–433

Appelo, C.A.J., see **van Veldhuizen, M.** — **28** (1) (1998) 69– 89

Arantes, R.D., Code orderings for the solution of sparse positive definite linear systems — **30** (1) (1999) 137–140

Arnold, M., The stabilization of linear multistep methods for constrained mechanical systems — **28** (2–4) (1998) 143–159

Aro, C.J., A stiff ODE preconditioner based on Newton linearization — **21** (4) (1996) 335–352

Ascher, U.M., S.J. Ruuth and R.J. Spiteri, Implicit–explicit Runge–Kutta methods for time-dependent partial differential equations **25** (2–3) (1997) 151–167
Attili, B.S., Tracing implicitly defined curves and the use of singular value decomposition **25** (1) (1997) 1– 11
Aubry, A. and P. Chartier, On the structure of errors for Radau IA methods applied to index-2 DAEs **22** (1–3) (1996) 23– 34
Auzinger, W., R. Frank and H.J. Stetter, Vienna contributions to the development of RK-methods **22** (1–3) (1996) 35– 49

Bai, Z.-Z. and R. Nabben, Some properties of the block matrices in the parallel decomposition-type relaxation methods **29** (2) (1999) 167–170
Baines, M.J., Grid adaptation via node movement **26** (1–2) (1998) 77– 96
Baker, C.T.H. and A. Tang, Stability analysis of continuous implicit Runge–Kutta methods for Volterra integro–differential systems with unbounded delays **24** (2–3) (1997) 153–173
Baker, T.S., J.R. Dormand, J.P. Gilmore and P.J. Prince, Continuous approximation with embedded Runge–Kutta methods **22** (1–3) (1996) 51– 62
Baker, T.S., J.R. Dormand and P.J. Prince, Continuous approximation with embedded Runge–Kutta–Nyström methods **29** (2) (1999) 171–188
Balle, S. and J. Cullum, A parallel algorithm for computing eigenvalues of very large real symmetric matrices on message passing architectures **30** (2–3) (1999) 341–365
Bank, R.E., A simple analysis of some a posteriori error estimates **26** (1–2) (1998) 153–164
Barton, P.I., see **Feehery, W.F.** **25** (1) (1997) 41– 54
Behrens, J., Atmospheric and ocean modeling with an adaptive finite element solver for the shallow-water equations **26** (1–2) (1998) 217–226
Bellen, A., Contractivity of continuous Runge–Kutta methods for delay differential equations **24** (2–3) (1997) 219–232
Bellen, A., N. Guglielmi and L. Torelli, Asymptotic stability properties of Θ-methods for the pantograph equation **24** (2–3) (1997) 279–293
Bellen, A. and R. Vermiglio, Some applications of continuous Runge–Kutta methods **22** (1–3) (1996) 63– 79
Belsky, V., see **Fish, J.** **23** (2) (1997) 241–258
Benazzouz, A., GL(E)-quasilinear transformations and acceleration **27** (2) (1998) 109–122
Bendtsen, C., Highly stable parallel Runge–Kutta methods **21** (1) (1996) 1– 8
Benettin, G. and F. Fassò, From Hamiltonian perturbation theory to symplectic integrators and back **29** (1) (1999) 73– 87
Benzi, M. and M. Tůma, A comparative study of sparse approximate inverse preconditioners **30** (2–3) (1999) 305–340
Berkelaar, A.B., J.F. Sturm and S. Zhang, Polynomial primal–dual cone affine scaling for semidefinite programming **29** (3) (1999) 317–333
Berzins, M., P.J. Capon and P.K. Jimack, On spatial adaptivity and interpolation when using the method of lines **26** (1–2) (1998) 117–133
Berzins, M., see **Ahmad, I.** **25** (2–3) (1997) 137–149
Best, A., see **Walther, A.** **30** (2–3) (1999) 367–377

Bey, J. and G. Wittum, Downwind numbering: robust multigrid for convection–diffusion problems **23** (1) (1997) 177–192
Biswas, R. and R.C. Strawn, Tetrahedral and hexahedral mesh adaptation for CFD problems **26** (1–2) (1998) 135–151
Blaisdell, G.A., E.T. Spyropoulos and J.H. Qin, The effect of the formulation of nonlinear terms on aliasing errors in spectral methods **21** (3) (1996) 207–219
Blatov, I.A., V.V. Blatova, Y.B. Rozhec and V.V. Strygin, Galerkin–Petrov method for strongly nonlinear singularly perturbed boundary value problems on special meshes **25** (4) (1997) 321–332
Blatova, V.V., see **Blatov, I.A.** **25** (4) (1997) 321–332
Bonnet, F. and F. Poupaud, Berenger absorbing boundary condition with time finite-volume scheme for triangular meshes **25** (4) (1997) 333–354
Borsboom, M., Development of an error-minimizing adaptive grid method **26** (1–2) (1998) 13– 21
Botta, E.F.F., K. Dekker, Y. Notay, A. van der Ploeg, C. Vuik, F.W. Wubs and P.M. de Zeeuw, How fast the Laplace equation was solved in 1995 **24** (4) (1997) 439–455
Bottasso, C.L., A new look at finite elements in time: a variational interpretation of Runge–Kutta methods **25** (4) (1997) 355–368
Bouas-Dockery, K., see **Gladwell, I.** **25** (2–3) (1997) 207–217
Bounds, S., see **Davey, K.** **23** (4) (1997) 443–456
Bowers, K.L., see **Morlet, A.C.** **25** (4) (1997) 461–483
Boyd, S., see **Vandenberghe, L.** **29** (3) (1999) 283–299
Braess, D. and R. Sarazin, An efficient smoother for the Stokes problem **23** (1) (1997) 3– 19
Brankin, R.W. , see **Gladwell, I.** **25** (2–3) (1997) 207–217
Brezinski, C. and M. Redivo Zaglia, Vector and matrix sequence transformations based on biorthogonality **21** (4) (1996) 353–374
Briggs, W.L. and V.E. Henson, A table of analytical discrete Fourier transforms **21** (4) (1996) 375–384
Brooks, J.P., see **Cisneros, G.** **30** (1) (1999) 125–135
Brown, J.L. and W.L. Etheridge, Local approximation of functions over points scattered in $\mathbb{R}^m$ **29** (2) (1999) 189–199
Brugnano, L. and D. Trigiante, A new mesh selection strategy for ODEs **24** (1) (1997) 1– 21
Brugnano, L. and D. Trigiante, On the potentiality of sequential and parallel codes based on extended trapezoidal rules (ETRs) **25** (2–3) (1997) 169–184
Brugnano, L. and D. Trigiante, Parallel implementation of block boundary value methods on nonlinear problems: theoretical results **28** (2–4) (1998) 127–141
Brugnano, L., see **Amodio, P.** **28** (2–4) (1998) 95–106
Brunner, H., 1896–1996: One hundred years of Volterra integral equations of the first kind **24** (2–3) (1997) 83– 93
Brunner, H., A. Makroglou and R.K. Miller, Mixed interpolation collocation methods for first and second order Volterra integro–differential equations with periodic solution **23** (4) (1997) 381–402

Brunner, H. and H. Roth, Collocation in space and time: experience with the Korteweg–de Vries equation **25** (4) (1997) 369–390
Brunner, H., A. Makroglou and R.K. Miller, On mixed collocation methods for Volterra integral equations with periodic solution **24** (2–3) (1997) 115–130
Budd, C.J. and G.J. Collins, An invariant moving mesh scheme for the nonlinear diffusion equation **26** (1–2) (1998) 23– 39
Budd, C.J. and A.R. Humphries, Adaptive methods for semi-linear elliptic equations with critical exponents and interior singularities **26** (1–2) (1998) 227–240
Burrage, K. and P.M. Burrage, High strong order explicit Runge–Kutta methods for stochastic ordinary differential equations **22** (1–3) (1996) 81–101
Burrage, K. and P.M. Burrage, General order conditions for stochastic Runge–Kutta methods for both commuting and non-commuting stochastic ordinary differential equation systems **28** (2–4) (1998) 161–177
Burrage, P.M., see **Burrage, K.** **22** (1–3) (1996) 81–101
Burrage, P.M., see **Burrage, K.** **28** (2–4) (1998) 161–177
Butcher, J.C., An introduction to "Almost Runge–Kutta" methods **24** (2–3) (1997) 331–342
Butcher, J.C., Order and effective order **28** (2–4) (1998) 179–191
Butcher, J.C. and P. Chartier, A generalization of singly-implicit Runge–Kutta methods **24** (2–3) (1997) 343–350
Butcher, J.C. and D.J.L. Chen, ESIRK methods and variable stepsize **28** (2–4) (1998) 193–207
Butcher, J.C. and Z. Jackiewicz, Construction of diagonally implicit general linear methods of type 1 and 2 for ordinary differential equations **21** (4) (1996) 385–416
Butcher, J.C. and Z. Jackiewicz, Construction of high order diagonally implicit multistage integration methods for ordinary differential equations **27** (1) (1998) 1– 12
Butcher, J.C. and J.M. Sanz-Serna, The number of conditions for a Runge–Kutta method to have effective order p **22** (1–3) (1996) 103–111
Butcher, J.C. and S. Tracogna, Order conditions for Two-Step Runge–Kutta methods **24** (2–3) (1997) 351–364
Butcher, J.C. and G. Wanner, Runge–Kutta methods: some historical notes **22** (1–3) (1996) 113–151

Calgaro, C., J. Laminie and R. Temam, Dynamical multilevel schemes for the solution of evolution equations by hierarchical finite element discretization **23** (4) (1997) 403–442
Calvo, M.P., A. Iserles and A. Zanna, Runge–Kutta methods for orthogonal and isospectral flows **22** (1–3) (1996) 153–163
Calvo, M.P., M.A. López-Marcos and J.M. Sanz-Serna, Variable step implementation of geometric integrators **28** (1) (1998) 1– 16
Campbell, S.L. and K.D. Yeomans, Behavior of the nonunique terms in general DAE integrators **28** (2–4) (1998) 209–226
Campbell, S.L. and Y. Zhong, Jacobian reuse in explicit integrators for higher index DAEs **25** (4) (1997) 391–412
Canahualpa, G., see **Claeyssen, J.R.** **30** (1) (1999) 65– 78
Cao, Z.-H., A note on the convergence behavior of GMRES **25** (1) (1997) 13– 20

Cao, Z.-H., On the QMR approach for iterative methods including coupled three-term recurrences for solving nonsymmetric linear systems **27** (2) (1998) 123–140
Cao, Z.-H., A convergence theorem on an extrapolated iterative method and its applications **27** (3) (1998) 203–209
Capon, P.J., see **Berzins, M.** **26** (1–2) (1998) 117–133
Carey, G.F., see **Abbasian, R.O.** **26** (3) (1998) 277–291
Carpentier, M.P., see **Lima, P.M.** **30** (1) (1999) 93–111
Carstensen, C. and P. Plecháč, Adaptive algorithms for scalar non-convex variational problems **26** (1–2) (1998) 203–216
Cash, J.R., Runge–Kutta methods for the solution of stiff two-point boundary value problems **22** (1–3) (1996) 165–177
Cash, J.R. and R.W. Wright, Continuous extensions of deferred correction schemes for the numerical solution of nonlinear two-point boundary value problems **28** (2–4) (1998) 227–244
Causon, D.M., see **Crossley, P.S.** **21** (2) (1996) 141–153
Celledoni, E. and I. Moret, A Krylov projection method for systems of ODEs **24** (2–3) (1997) 365–378
Chacón Rebollo, T., D. Franco Coronil, F. Ortegón Gallego and I. Sánchez Muñoz, Modelling of compressible flows with highly oscillating initial data by homogenization **26** (4) (1998) 435–464
Chan, R.P.K., A-stability of implicit Runge–Kutta extrapolations **22** (1–3) (1996) 179–203
Chartier, P., see **Aubry, A.** **22** (1–3) (1996) 23– 34
Chartier, P., see **Butcher, J.C.** **24** (2–3) (1997) 343–350
Chatzipantelidis, P., Explicit multistep methods for nonstiff partial differential equations **27** (1) (1998) 13– 31
Chehab, J.-P., Solution of generalized Stokes problems using hierarchical methods and Incremental Unknowns **21** (1) (1996) 9– 42
Chen, D.J.L., see **Butcher, J.C.** **28** (2–4) (1998) 193–207
Chen, R.-C., see **Liu, J.-L.** **21** (4) (1996) 439–468
Chen, Z. and D.Y. Kwak, $\mathcal{V}$-cycle Galerkin–multigrid methods for nonconforming methods for nonsymmetric and indefinite problems **28** (1) (1998) 17– 35
Cisneros, G. and J.P. Brooks, High-performance computing at Silicon Graphics/Cray Research **30** (1) (1999) 125–135
Claeyssen, J.R., G. Canahualpa and C. Jung , A direct approach to second-order matrix non-classical vibrating equations **30** (1) (1999) 65– 78
Clavero, C., J.C. Jorge, F. Lisbona and G.I. Shishkin, A fractional step method on a special mesh for the resolution of multidimensional evolutionary convection–diffusion problems **27** (3) (1998) 211–231
Collins, G.J., see **Budd, C.J.** **26** (1–2) (1998) 23– 39
Condon, D.J., Corrected finite difference eigenvalues of periodic Sturm–Liouville problems **30** (4) (1999) 393–401
Cong, N.H., see **Eichler-Liebenow, C.** **28** (2–4) (1998) 259–274

Corwin, S.P., D. Sarafyan and S. Thompson, DKLAG6: a code based on continuously imbedded sixth-order Runge–Kutta methods for the solution of state-dependent functional differential equations **24** (2–3) (1997) 319–330
Crossley, P.S., R. Saunders, D.M. Causon and C.G. Mingham, A spectral method with subcell resolution for shock wave calculations **21** (2) (1996) 141–153
Cullum, J., see **Balle, S.** **30** (2–3) (1999) 341–365

Dahlke, S., W. Dahmen, R. Hochmuth and R. Schneider, Stable multiscale bases and local error estimation for elliptic problems **23** (1) (1997) 21– 47
Dahmen, W., see **Dahlke, S.** **23** (1) (1997) 21– 47
Damgaard, A., see **Andersen, E.D.** **29** (3) (1999) 395–422
Datta, B.N., Recent developments on nonmodal and partial modal approaches for control of vibration **30** (1) (1999) 41– 52
Datta, B.N., Large-scale matrix computations in control **30** (1) (1999) 53– 63
Davey, K. and S. Bounds, A preconditioning strategy for the solution of linear boundary element systems using the GMRES method **23** (4) (1997) 443–456
Davies, P.J., A stability analysis of a time marching scheme for the general surface electric field integral equation **27** (1) (1998) 33– 57
Davies, P.J. and D.B. Duncan, Averaging techniques for time-marching schemes for retarded potential integral equations **23** (3) (1997) 291–310
Dekker, K., see **Botta, E.F.F.** **24** (4) (1997) 439–455
De Klerk, E., C. Roos and T. Terlaky, Primal–dual potential reduction methods for semidefinite programming using affine-scaling directions **29** (3) (1999) 335–360
DeLong, M.A. and J.M. Ortega, SOR as a preconditioner II **26** (4) (1998) 465–481
De Meyer, H., see **Van Daele, M.** **27** (1) (1998) 69– 82
Dervieux, A., see **Palmerio, B.** **22** (4) (1996) 477–493
de Souza Cortes, M.B., see **Souza de Cursi, J.E.** **30** (1) (1999) 23– 30
de Vilhena, M.T., see **Pazos, R.P.** **30** (1) (1999) 79– 92
de Zeeuw, P.M., see **Botta, E.F.F.** **24** (4) (1997) 439–455
Dick, E. and J. Steelant, Coupled solution of the steady compressible Navier–Stokes equations and the k-ε turbulence equations with a multigrid method **23** (1) (1997) 49– 61
Didenko, V.D. and B. Silbermann, An approximate method on non-equidistant partitions for double layer potential equation **26** (1–2) (1998) 41– 48
Dieci, L., B. Morini, A. Papini and A. Pasquali, On real logarithms of nearby matrices and structured matrix interpolation **29** (1) (1999) 145–165
Diogo, T., see **Lima, P.** **24** (2–3) (1997) 131–148
Dongarra, J.J., B. Straughan and D.W. Walker, Chebyshev tau-QZ algorithm methods for calculating spectra of hydrodynamic stability problems **22** (4) (1996) 399–434
Dormand, J.R., see **Baker, T.S.** **22** (1–3) (1996) 51– 62
Dormand, J.R., see **Baker, T.S.** **29** (2) (1999) 171–188
Douak, K. and P. Maroni, On d-orthogonal Tchebychev polynomials, I **24** (1) (1997) 23– 53

Drachman, B., Minimization of certain cost functions with error bounds (Note) **23** (3) (1997) 375–379
Drury, L.O'C., see **Farrell, K.** **26** (1–2) (1998) 3– 12
Duncan, D.B., Introduction to Grid Adaptation Proceedings **26** (1–2) (1998) 1– 2
Duncan, D.B., see **Davies, P.J.** **23** (3) (1997) 291–310

Efraimsson, G. and G. Kreiss, A note on the effect of artificial viscosity on solutions of conservation laws **21** (2) (1996) 155–173
Eichler-Liebenow, C., N.H. Cong, R. Weiner and K. Strehmel, Linearly implicit splitting methods for higher space-dimensional parabolic differential equations **28** (2–4) (1998) 259–274
Eichler-Liebenow, C., P.J. van der Houwen and B.P. Sommeijer, Analysis of approximate factorization in iteration methods **28** (2–4) (1998) 245–258
Eirola, T., Detection of generic one parameter bifurcations of Hamiltonian equilibria **29** (1) (1999) 129–143
Ellison, J.A., see **Warnock, R.L.** **29** (1) (1999) 89– 98
Engquist, B. and H.-K. Zhao, Absorbing boundary conditions for domain decomposition **27** (4) (1998) 341–365
Engstler, C. and P. Kaps, A comparison of one-step methods for multibody system dynamics in descriptor and state space form **24** (4) (1997) 457–468
Engstler, C. and C. Lubich, MUR8: a multirate extension of the eighth-order Dormand–Prince method **25** (2–3) (1997) 185–192
Enright, W.H. and M. Hu, Continuous Runge–Kutta methods for neutral Volterra integro–differential equations with delay **24** (2–3) (1997) 175–190
Enright, W.H., see **Hull, T.E.** **22** (1–3) (1996) 225–236
Etheridge, W.L., see **Brown, J.L.** **29** (2) (1999) 189–199
Evans, G.A. and J.R. Webster, A high order, progressive method for the evaluation of irregular oscillatory integrals **23** (2) (1997) 205–218

Farrell, K. and L.O'C. Drury, An explicit, adaptive grid algorithm for one-dimensional initial value problems **26** (1–2) (1998) 3– 12
Fassò, F., see **Benettin, G.** **29** (1) (1999) 73– 87
Fdil, A., A new method for solving a nonlinear equation with error estimations **21** (4) (1996) 417–430
Fdil, A., Some results of convergence acceleration for a general Θ-type algorithm **23** (2) (1997) 219–240
Fdil, A., A new technique of selection between sequence transformations **25** (1) (1997) 21– 40
Feehery, W.F., J.E. Tolsma and P.I. Barton, Efficient sensitivity analysis of large-scale differential–algebraic systems **25** (1) (1997) 41– 54
Feldstein, A. and P.R. Turner, Overflow and underflow in multiplication and division **21** (3) (1996) 221–239
Feldstein, A., see **Kim, Y.I.** **24** (2–3) (1997) 411–424
Ferreira, J.A., Supraconvergence of a class of moving grid methods for solving a nonlinear problem **21** (1) (1996) 43– 56

Ferreira, J.A. and R.D. Grigorieff, On the supraconvergence of elliptic finite difference schemes **28** (2–4) (1998) 275–292
Fish, J., A. Suvorov and V. Belsky, Hierarchical composite grid method for global–local analysis of laminated composite shells **23** (2) (1997) 241–258
Flaherty, J.E., R.M. Loy, C. Özturan, M.S. Shephard, B.K. Szymanski, J.D. Teresco and L.H. Ziantz, Parallel structures and dynamic load balancing for adaptive finite element computation **26** (1–2) (1998) 241–263
Franco Coronil, F., see **Chacón Rebollo, T.** **26** (4) (1998) 435–464
Frank, J. and C. Vuik, Parallel implementation of a multiblock method with approximate subdomain solution **30** (4) (1999) 403–423
Frank, J., W. Hundsdorfer and J.G. Verwer, On the stability of implicit–explicit linear multistep methods **25** (2–3) (1997) 193–205
Frank, R., see **Auzinger, W.** **22** (1–3) (1996) 35– 49
French, D.A., Discontinuous Galerkin finite element methods for a forward–backward heat equation **28** (1) (1998) 37– 44
Fujino, S., Estimation of conflict-free matrix product preconditioner on vector supercomputers **30** (2–3) (1999) 257–266

Gallivan, K.A., see **Meier Yang, U.** **30** (2–3) (1999) 155–173
Ganesh, M., A general convergence theory for nonlinear equations with application to integro–differential equations **22** (4) (1996) 435–449
Ganesh, M. and I.H. Sloan, Optimal order spline methods for nonlinear differential and integro–differential equations **29** (4) (1999) 445–478
Gasca, M., see **Alonso, P.** **23** (2) (1997) 193–204
Ghelardoni, P., Approximations of Sturm–Liouville eigenvalues using Boundary Value Methods **23** (3) (1997) 311–325
Gilmore, J.P., see **Baker, T.S.** **22** (1–3) (1996) 51– 62
Givoli, D. and I. Patlashenko, Optimal local non-reflecting boundary conditions **27** (4) (1998) 367–384
Gladwell, I., K. Bouas-Dockery and R.W. Brankin, A Fortran 90 separable Hamiltonian system solver **25** (2–3) (1997) 207–217
Gladwell, I., see **Shampine, L.F.** **22** (1–3) (1996) 293–308
Goldfarb, D. and K. Scheinberg, On parametric semidefinite programming **29** (3) (1999) 361–377
Golub, G.H., see **Zhang, T.** **27** (2) (1998) 185–202
González-Vera, P. and J.C. Santos-León, Properties of certain piecewise polynomial product integration rules **21** (3) (1996) 241–264
Goodrich, J., see **Hagstrom, T.** **27** (4) (1998) 385–402
Gottlieb, D., see **Abarbanel, S.** **27** (4) (1998) 331–340
Grauschopf, T., M. Griebel and H. Regler, Additive multilevel preconditioners based on bilinear interpolation, matrix-dependent geometric coarsening and algebraic multigrid coarsening for second-order elliptic PDEs **23** (1) (1997) 63– 95
Gray, S.K., see **McLachlan, R.I.** **25** (2–3) (1997) 275–286

Griebel, M., see **Grauschopf, T.** **23** (1) (1997) 63– 95
Griewank, A., see **Walther, A.** **30** (2–3) (1999) 367–377
Grigorieff, R.D., see **Ferreira, J.A.** **28** (2–4) (1998) 275–292
Guglielmi, N., see **Bellen, A.** **24** (2–3) (1997) 279–293

Haase, G., Hierarchical extension operators plus smoothing in domain decomposition preconditioners **23** (3) (1997) 327–346
Hadjidimos, A., see **Lai, Y.-L.** **21** (3) (1996) 265–290
Häfner, H., W. Schönauer and R. Weiss, The program package LINSOL: Basic concepts and realization **30** (2–3) (1999) 213–224
Hagstrom, T. and J. Goodrich, Experiments with approximate radiation boundary conditions for computational aeroacoustics **27** (4) (1998) 385–402
Hagstrom, T. and S.I. Hariharan, A formulation of asymptotic and exact boundary conditions using local operators **27** (4) (1998) 403–416
Hairer, E., Variable time step integration with symplectic methods **25** (2–3) (1997) 219–227
Hairer, E. and C. Lubich, Invariant tori of dissipatively perturbed Hamiltonian systems under symplectic discretization **29** (1) (1999) 57– 71
Hairer, E. and M. Zennaro, On error growth functions of Runge–Kutta methods **22** (1–3) (1996) 205–216
Han, W., S. Jensen and I. Shimansky, The Kačanov method for some nonlinear problems **24** (1) (1997) 57– 79
Harari, I., A unified variational approach to domain-based computation of exterior problems of time-harmonic acoustics **27** (4) (1998) 417–441
Hardy, D.J., D.I. Okunbor and R.D. Skeel, Symplectic variable step size integration for *N*-body problems **29** (1) (1999) 19– 30
Hariharan, S.I., see **Hagstrom, T.** **27** (4) (1998) 403–416
Hartung, F., T.L. Herdman and J. Turi, On existence, uniqueness and numerical approximation for neutral equations with state-dependent delays **24** (2–3) (1997) 393–409
Hemker, P.W. and C. Pflaum, Approximation on partially ordered sets of regular grids **25** (1) (1997) 55– 87
Hendriks, J.A., see **van Veldhuizen, M.** **28** (1) (1998) 69– 89
Henson, V.E., see **Briggs, W.L.** **21** (4) (1996) 375–384
Herdman, T.L., see **Hartung, F.** **24** (2–3) (1997) 393–409
Higham, D.J., Runge–Kutta type methods for orthogonal integration **22** (1–3) (1996) 217–223
Higham, D.J., Regular Runge–Kutta pairs **25** (2–3) (1997) 229–241
Higham, D.J., see **Sardar, T.K.** **24** (2–3) (1997) 425–438
Hilden, M. and G. Steinebach, ENO-discretizations in MOL-applications: some examples in river hydraulics **28** (2–4) (1998) 293–308
Hinze, M., On the numerical approximation and computation of minimal surface continua bounded by one-parameter families of polygonal contours **25** (1) (1997) 89–116
Hochmuth, R., see **Dahlke, S.** **23** (1) (1997) 21– 47

Hoppe, R.H.W. and B. Wohlmuth, Multilevel iterative solution and adaptive mesh refinement for mixed finite element discretizations **23** (1) (1997) 97–117
Horváth, Z., Positivity of Runge–Kutta and diagonally split Runge–Kutta methods **28** (2–4) (1998) 309–326
Houstis, E.N., see **Lai, Y.-L.** **21** (3) (1996) 265–290
Hsieh, M.-C., see **Liu, J.-L.** **21** (4) (1996) 439–468
Hu, M., see **Enright, W.H.** **24** (2–3) (1997) 175–190
Huang, J., An efficient algorithm to solve a sequence of linear equations arising in nonlinear H^∞ control **26** (3) (1998) 293–306
Huang, W. and R.D. Russell, A high dimensional moving mesh strategy **26** (1–2) (1998) 63– 76
Huckle, T., Approximate sparsity patterns for the inverse of a matrix and preconditioning **30** (2–3) (1999) 291–303
Hull, T.E., W.H. Enright and K.R. Jackson, Runge–Kutta research at Toronto **22** (1–3) (1996) 225–236
Humphries, A.R., see **Budd, C.J.** **26** (1–2) (1998) 227–240
Hundsdorfer, W., see **Frank, J.** **25** (2–3) (1997) 193–205
Hyman, J.M. and J. Li, Disease transmission models with biased partnership selection **24** (2–3) (1997) 379–392
Hyman, J.M. and M. Shashkov, Adjoint operators for the natural discretizations of the divergence, gradient and curl on logically rectangular grids **25** (4) (1997) 413–442

Iavernaro, F. and F. Mazzia, Solving ordinary differential equations by generalized Adams methods: properties and implementation techniques **28** (2–4) (1998) 107–126
in 't Hout, K.J., On the stability of adaptations of Runge–Kutta methods to systems of delay differential equations **22** (1–3) (1996) 237–250
Iserles, A., Exact and discretized stability of the pantograph equation **24** (2–3) (1997) 295–308
Iserles, A., see **Calvo, M.P.** **22** (1–3) (1996) 153–163
Iusem, A.N., An interior point method for the nonlinear complementarity problem **24** (4) (1997) 469–482

Jackiewicz, Z., R. Vermiglio and M. Zennaro, Regularity properties of Runge–Kutta methods for ordinary differential equations **22** (1–3) (1996) 251–262
Jackiewicz, Z., R. Vermiglio and M. Zennaro, Regularity properties of Runge–Kutta methods for delay differential equations **24** (2–3) (1997) 265–278
Jackiewicz, Z., see **Butcher, J.C.** **21** (4) (1996) 385–416
Jackiewicz, Z., see **Butcher, J.C.** **27** (1) (1998) 1– 12
Jackson, K.R., see **Hull, T.E.** **22** (1–3) (1996) 225–236
Jensen, S., see **Han, W.** **24** (1) (1997) 57– 79
Jensen, S., see **Korneev, V.G.** **29** (4) (1999) 479–518
Jimack, P.K., see **Berzins, M.** **26** (1–2) (1998) 117–133
Jorge, J.C., see **Clavero, C.** **27** (3) (1998) 211–231
Jung, C., see **Claeyssen, J.R.** **30** (1) (1999) 65– 78

Jung, M., On the parallelization of multi-grid methods using a non-overlapping domain decomposition data structure **23** (1) (1997) 119–137

Kačur, J. and S. Luckhaus, Approximation of degenerate parabolic systems by nondegenerate elliptic and parabolic systems **26** (3) (1998) 307–326
Kaps, P., see **Engstler, C.** **24** (4) (1997) 457–468
Kauthen, J.-P., A survey of singularly perturbed Volterra equations **24** (2–3) (1997) 95–114
Khajah, H.G. and E.L. Ortiz, On a differential-delay equation arising in number theory **21** (4) (1996) 431–438
Kim, Y.I. and A. Feldstein, Bifurcation and k-cycles of a finite-dimensional iterative map, with applications to logistic delay equations **24** (2–3) (1997) 411–424
Knabner, P., see **Angermann, L.** **26** (1–2) (1998) 179–191
Knight, D.D., see **Okong'o, N.** **27** (3) (1998) 269–308
Knoth, O. and R. Wolke, Implicit–explicit Runge–Kutta methods for computing atmospheric reactive flows **28** (2–4) (1998) 327–341
Kok, J., see **Sommeijer, B.P.** **21** (3) (1996) 303–320
Kok, J., see **van der Houwen, P.J.** **25** (2–3) (1997) 243–256
Kolibal, J., see **Saltiel, C.** **25** (4) (1997) 499–509
Korneev, V.G. and S. Jensen, Domain decomposition preconditioning in the hierarchical p-version of the finite element method **29** (4) (1999) 479–518
Kreiss, G., see **Efraimsson, G.** **21** (2) (1996) 155–173
Krukier, L.A., Convergence acceleration of triangular iterative methods based on the skew-symmetric part of the matrix **30** (2–3) (1999) 281–290
Kurgan, E., A boundary element solution of the inhomogeneous magnetostatic problems **28** (2–4) (1998) 343–358
Kværnø, A., S.P. Nørsett and B. Owren, Runge–Kutta research in Trondheim **22** (1–3) (1996) 263–277
Kwak, D.Y., see **Chen, Z.** **28** (1) (1998) 17–35
Kzaz, M., Convergence acceleration of the Gauss–Laguerre quadrature formula **29** (2) (1999) 201–220

Laburta, M.P., Starting algorithms for implicit Runge–Kutta–Nyström methods **27** (3) (1998) 233–251
Lai, Y.-L., A. Hadjidimos and E.N. Houstis, A generalized Schwarz splitting method based on Hermite collocation for elliptic boundary value problems **21** (3) (1996) 265–290
Laminie, J., see **Calgaro, C.** **23** (4) (1997) 403–442
Lang, J., Adaptive FEM for reaction–diffusion equations **26** (1–2) (1998) 105–116
Law, K.H., see **Zhang, T.** **27** (2) (1998) 185–202
Le Calvez, C. and Y. Saad, Modified Krylov acceleration for parallel environments **30** (2–3) (1999) 191–212
Lee, H.Y. and J.R. Lee, Error estimates for a single-phase quasilinear Stefan problem in one space dimension **26** (3) (1998) 327–342
Lee, J.R., see **Lee, H.Y.** **26** (3) (1998) 327–342

Leimkuhler, B., Reversible adaptive regularization methods for atomic N-body problems in applied fields **29** (1) (1999) 31–43
Li, J., see **Hyman, J.M.** **24** (2–3) (1997) 379–392
Li, Z., The immersed interface method using a finite element formulation **27** (3) (1998) 253–267
Lima, P. and T. Diogo, An extrapolation method for a Volterra integral equation with weakly singular kernel **24** (2–3) (1997) 131–148
Lima, P.M. and M.P. Carpentier, Asymptotic expansions and numerical approximation of nonlinear degenerate boundary-value problems **30** (1) (1999) 93–111
Lin, I.-J., see **Liu, J.-L.** **21** (4) (1996) 439–468
Lisbona, F., see **Clavero, C.** **27** (3) (1998) 211–231
Liu, J.-L., I.-J. Lin, M.-Z. Shih, R.-C. Chen and M.-C. Hsieh, Object-oriented programming of adaptive finite element and finite volume methods **21** (4) (1996) 439–468
Liu, Y., Numerical investigation of the pantograph equation **24** (2–3) (1997) 309–317
Lopes, V.L.R., J.M. Martínez and R. Pérez, On the local convergence of quasi-Newton methods for nonlinear complementarity problems **30** (1) (1999) 3–22
Lopez, L. and T. Politi, Numerical procedures based on Runge–Kutta methods for solving isospectral flows **25** (4) (1997) 443–459
López-Marcos, J.C., see **Abia, L.M.** **26** (4) (1998) 399–414
López-Marcos, M.A., see **Calvo, M.P.** **28** (1) (1998) 1–16
Loy, R.M., see **Flaherty, J.E.** **26** (1–2) (1998) 241–263
Lu, Y.Y., Computing the logarithm of a symmetric positive definite matrix **26** (4) (1998) 483–496
Lu, Y.Y., A complex coefficient rational approximation of $\sqrt{1+x}$ **27** (2) (1998) 141–154
Lube, G., F.C. Otto and H. Müller, A non-overlapping domain decomposition method for parabolic initial-boundary value problems **28** (2–4) (1998) 359–369
Lube, G., see **Apel, T.** **26** (4) (1998) 415–433
Lubich, C. and A. Ostermann, Runge–Kutta time discretization of reaction–diffusion and Navier–Stokes equations: nonsmooth-data error estimates and applications to long-time behaviour **22** (1–3) (1996) 279–292
Lubich, C., see **Engstler, C.** **25** (2–3) (1997) 185–192
Lubich, C., see **Hairer, E.** **29** (1) (1999) 57–71
Lucht, W. and K. Strehmel, Discretization based indices for semilinear partial differential algebraic equations **28** (2–4) (1998) 371–386
Luckhaus, S., see **Kačur, J.** **26** (3) (1998) 307–326
Luo, Z.-Q., C. Roos and T. Terlaky, Complexity analysis of logarithmic barrier decomposition methods for semi-infinite linear programming **29** (3) (1999) 379–394
Lybeck, N.J., see **Morlet, A.C.** **25** (4) (1997) 461–483

Makroglou, A., see **Brunner, H.** **23** (4) (1997) 381–402
Makroglou, A., see **Brunner, H.** **24** (2–3) (1997) 115–130
Malhotra, M., see **Oberai, A.A.** **27** (4) (1998) 443–464
Mannix Jr., C.E., Potential function construction by use of an adaptive mesh algorithm for a class of singular integral equations **22** (4) (1996) 451–475

Mansky, E.J., An open problem in the numerical analysis of systems of Volterra integral equations of the second kind in two space-like variables **24** (2–3) (1997) 149–151
Markov, S., An iterative method for algebraic solution to interval equations **30** (2–3) (1999) 225–239
Maroni, P., see **Douak, K.** **24** (1) (1997) 23– 53
Martínez, J.J. and J.M. Peña, Fast algorithms of Björck–Pereyra type for solving Cauchy–Vandermonde linear systems **26** (3) (1998) 343–352
Martínez, J., see **Abia, L.M.** **26** (4) (1998) 399–414
Martínez, J.M., see **Lopes, V.L.R.** **30** (1) (1999) 3– 22
Mazzia, F., see **Iavernaro, F.** **28** (2–4) (1998) 107–126
McLachlan, R.I. and S.K. Gray, Optimal stability polynomials for splitting methods, with application to the time-dependent Schrödinger equation **25** (2–3) (1997) 275–286
Meier Yang, U. and K.A. Gallivan, A new family of block methods **30** (2–3) (1999) 155–173
Melendo, B. and M. Palacios, A new approach to the construction of multirevolution methods and their implementation **23** (2) (1997) 259–274
Mikula, K., Solution of nonlinear curvature driven evolution of plane convex curves **23** (3) (1997) 347–360
Miller, R.K., see **Brunner, H.** **23** (4) (1997) 381–402
Miller, R.K., see **Brunner, H.** **24** (2–3) (1997) 115–130
Mingham, C.G., see **Crossley, P.S.** **21** (2) (1996) 141–153
Mitchell, W.F., The full domain partition approach to distributing adaptive grids **26** (1–2) (1998) 265–275
Moebs, G., A multilevel method for the resolution of a stochastic weakly damped nonlinear Schrödinger equation **26** (3) (1998) 353–375
Moret, I., see **Celledoni, E.** **24** (2–3) (1997) 365–378
Morini, B., see **Dieci, L.** **29** (1) (1999) 145–165
Morlet, A.C., N.J. Lybeck and K.L. Bowers, The Schwarz alternating sinc domain decomposition method **25** (4) (1997) 461–483
Mulder, W.A., Spurious modes in finite-element discretizations of the wave equation may not be all that bad **30** (4) (1999) 425–445
Müller, H., see **Lube, G.** **28** (2–4) (1998) 359–369
Munthe-Kaas, H., High order Runge–Kutta methods on manifolds **29** (1) (1999) 115–127
Murua, A., Runge–Kutta–Nyström methods for general second order ODEs with application to multi-body systems **28** (2–4) (1998) 387–399
Murua, A., Formal series and numerical integrators, Part II: Application to index-2 differential–algebraic systems **29** (1) (1999) 99–113
Murua, A., Formal series and numerical integrators, Part I: Systems of ODEs and symplectic integrators **29** (2) (1999) 221–251

Nabben, R., see **Bai, Z.-Z.** **29** (2) (1999) 167–170
Neumeyer, T. and P. Rentrop, The DAE-aspect of the charge cycle in a combustion engine **25** (2–3) (1997) 287–295

Nordström, J., On extrapolation procedures at artificial outflow boundaries for the time-dependent Navier–Stokes equations **23** (4) (1997) 457–468
Nordström, J., On flux-extrapolation at supersonic outflow boundaries **30** (4) (1999) 447–457
Nørsett, S.P., see **Kværnø, A.** **22** (1–3) (1996) 263–277
Notay, Y., see **Botta, E.F.F.** **24** (4) (1997) 439–455

Oberai, A.A., M. Malhotra and P.M. Pinsky, On the implementation of the Dirichlet-to-Neumann radiation condition for iterative solution of the Helmholtz equation **27** (4) (1998) 443–464
Okong'o, N. and D.D. Knight, Implicit unstructured Navier–Stokes simulation of leading edge separation over a pitching airfoil **27** (3) (1998) 269–308
Okunbor, D.I., see **Hardy, D.J.** **29** (1) (1999) 19– 30
Ortega, J.M., see **DeLong, M.A.** **26** (4) (1998) 465–481
Ortegón Gallego, F., see **Chacón Rebollo, T.** **26** (4) (1998) 435–464
Ortiz, E.L., see **Khajah, H.G.** **21** (4) (1996) 431–438
Ostermann, A., see **Lubich, C.** **22** (1–3) (1996) 279–292
Oswald, P., Intergrid transfer operators and multilevel preconditioners for nonconforming discretizations **23** (1) (1997) 139–158
Otto, F.C., see **Lube, G.** **28** (2–4) (1998) 359–369
Owren, B., see **Kværnø, A.** **22** (1–3) (1996) 263–277
Özturan, C., see **Flaherty, J.E.** **26** (1–2) (1998) 241–263

Palacios, M., see **Melendo, B.** **23** (2) (1997) 259–274
Palmerio, B. and A. Dervieux, Multimesh and multiresolution analysis for mesh adaptive interpolation **22** (4) (1996) 477–493
Papini, A., see **Dieci, L.** **29** (1) (1999) 145–165
Pasquali, A., see **Dieci, L.** **29** (1) (1999) 145–165
Paternoster, B., Runge–Kutta(–Nyström) methods for ODEs with periodic solutions based on trigonometric polynomials **28** (2–4) (1998) 401–412
Patlashenko, I., see **Givoli, D.** **27** (4) (1998) 367–384
Pazos, R.P. and M.T. de Vilhena, Convergence in transport theory **30** (1) (1999) 79– 92
Peña, J.M., see **Alonso, P.** **23** (2) (1997) 193–204
Peña, J.M., see **Martínez, J.J.** **26** (3) (1998) 343–352
Pereyra, V., Asynchronous distributed solution of large scale nonlinear inversion problems **30** (1) (1999) 31– 40
Pérez, R., see **Lopes, V.L.R.** **30** (1) (1999) 3– 22
Petzold, L.R., see **Zhu, W.** **24** (2–3) (1997) 247–264
Petzold, L.R., see **Zhu, W.** **27** (3) (1998) 309–325
Pflaum, C., see **Hemker, P.W.** **25** (1) (1997) 55– 87
Phillips, G.M., see **A. Sri Ranga,** **21** (2) (1996) 175–183
Pinsky, P.M., see **Oberai, A.A.** **27** (4) (1998) 443–464
Plecháč, P., see **Carstensen, C.** **26** (1–2) (1998) 203–216
Podgajezki, I., see **Weiss, R.** **30** (2–3) (1999) 379–391

Podhaisky, H., R. Weiner and B.A. Schmitt, Numerical experiments with Krylov integrators **28** (2–4) (1998) 413–425
Podhaisky, H., see **Weiner, R.** **25** (2–3) (1997) 303–319
Politi, T., see **Lopez, L.** **25** (4) (1997) 443–459
Ponnambalam, K., see **Sadjadi, S.J.** **29** (3) (1999) 423–443
Potapov, V.D., Numerical method for investigation of stability of stochastic integro–differential equations **24** (2–3) (1997) 191–201
Poupaud, F., see **Bonnet, F.** **25** (4) (1997) 333–354
Prince, P.J., see **Baker, T.S.** **22** (1–3) (1996) 51– 62
Prince, P.J., see **Baker, T.S.** **29** (2) (1999) 171–188

Qin, J.H., see **Blaisdell, G.A.** **21** (3) (1996) 207–219

Ramage, A., A structured matrix problem in dynamical systems **21** (3) (1996) 291–301
Redivo Zaglia, M., see **Brezinski, C.** **21** (4) (1996) 353–374
Regler, H., see **Grauschopf, T.** **23** (1) (1997) 63– 95
Reich, S., Preservation of adiabatic invariants under symplectic discretization **29** (1) (1999) 45– 55
Rendl, F., Semidefinite programming and combinatorial optimization **29** (3) (1999) 255–281
Rentrop, P., see **Neumeyer, T.** **25** (2–3) (1997) 287–295
Rhanizar, B., Hybrid procedures for solving some unconstrained nonlinear optimization problems **30** (4) (1999) 459–474
Rhanizar, B., On extrapolation methods in optimization **25** (4) (1997) 485–498
Roos, C., see **De Klerk, E.** **29** (3) (1999) 335–360
Roos, C., see **Luo, Z.-Q.** **29** (3) (1999) 379–394
Roos, H.-G., see **Stynes, M.** **23** (3) (1997) 361–374
Roth, H., see **Brunner, H.** **25** (4) (1997) 369–390
Rozhec, Y.B., see **Blatov, I.A.** **25** (4) (1997) 321–332
Russell, R.D., see **Huang, W.** **26** (1–2) (1998) 63– 76
Ruuth, S.J., see **Ascher, U.M.** **25** (2–3) (1997) 151–167

Saad, Y., see **Le Calvez, C.** **30** (2–3) (1999) 191–212
Sadaka, R., Padé approximation of vector functions **21** (1) (1996) 57– 70
Sadaka, R., An algorithm for constructing a class of Padé approximants of vector functions **24** (4) (1997) 483–499
Sadjadi, S.J. and K. Ponnambalam, Advances in trust region algorithms for constrained optimization **29** (3) (1999) 423–443
Saltiel, C. and J. Kolibal, Parallel radiative transport using a unified matrix approach **25** (4) (1997) 499–509
Sánchez Muñoz, I., see **Chacón Rebollo, T.** **26** (4) (1998) 435–464
Santos-León, J.C., see **González-Vera, P.** **21** (3) (1996) 241–264
Sanz-Serna, J.M., see **Butcher, J.C.** **22** (1–3) (1996) 103–111
Sanz-Serna, J.M., see **Calvo, M.P.** **28** (1) (1998) 1– 16
Sarafyan, D., see **Corwin, S.P.** **24** (2–3) (1997) 319–330

Sarazin, R., see **Braess, D.** **23** (1) (1997) 3– 19
Sardar, T.K. and D.J. Higham, Dynamics of constant and variable stepsize methods for a nonlinear population model with delay **24** (2–3) (1997) 425–438
Saucez, P., see **Vande Wouwer, A.** **26** (1–2) (1998) 49– 62
Saunders, R., see **Crossley, P.S.** **21** (2) (1996) 141–153
Scheinberg, K., see **Goldfarb, D.** **29** (3) (1999) 361–377
Schiesser, W.E., see **Vande Wouwer, A.** **26** (1–2) (1998) 49– 62
Schmidt, J.G. and G. Starke, Coarse space orthogonalization for indefinite linear systems of equations arising in geometrically nonlinear elasticity **30** (2–3) (1999) 267–280
Schmitt, B.A. and R. Weiner, Polynomial preconditioning in Krylov-ROW-methods **28** (2–4) (1998) 427–437
Schmitt, B.A., see **Podhaisky, H.** **28** (2–4) (1998) 413–425
Schmitt, B.A., see **Weiner, R.** **25** (2–3) (1997) 303–319
Schneider, R., see **Dahlke, S.** **23** (1) (1997) 21– 47
Scholz, H.-E., The examination of nonlinear stability and solvability of the algebraic equations for the implicit Taylor series method **28** (2–4) (1998) 439–458
Schönauer, W., Experiments with search directions for a generalized CG method **30** (2–3) (1999) 241–256
Schönauer, W., see **Häfner, H.** **30** (2–3) (1999) 213–224
Senior, B., see **Ainsworth, M.** **26** (1–2) (1998) 165–178
Shampine, L.F. and I. Gladwell, Software based on explicit RK formulas **22** (1–3) (1996) 293–308
Shapira, Y., Multigrid methods for 3-D definite and indefinite problems **26** (3) (1998) 377–398
Shashkov, M., see **Hyman, J.M.** **25** (4) (1997) 413–442
Shen, J., On a new pseudocompressibility method for the incompressible Navier–Stokes equations **21** (1) (1996) 71– 90
Shephard, M.S., see **Flaherty, J.E.** **26** (1–2) (1998) 241–263
Shih, M.-Z., see **Liu, J.-L.** **21** (4) (1996) 439–468
Shimansky, I., see **Han, W.** **24** (1) (1997) 57– 79
Shishkin, G.I., see **Clavero, C.** **27** (3) (1998) 211–231
Silbermann, B., see **Didenko, V.D.** **26** (1–2) (1998) 41– 48
Simeon, B., Order reduction of stiff solvers at elastic multibody systems **28** (2–4) (1998) 459–475
Skeel, R.D., Symplectic integration with floating-point arithmetic and other approximations **29** (1) (1999) 3– 18
Skeel, R.D., see **Hardy, D.J.** **29** (1) (1999) 19– 30
Skeel, R.D., see **Zhang, M.** **25** (2–3) (1997) 297–302
Sloan, I.H., see **Ganesh, M.** **29** (4) (1999) 445–478
Sommeijer, B.P. and J. Kok, Splitting methods for three-dimensional bio-chemical transport **21** (3) (1996) 303–320
Sommeijer, B.P., see **Eichler-Liebenow, C.** **28** (2–4) (1998) 245–258
Sommeijer, B.P., see **van der Houwen, P.J.** **22** (1–3) (1996) 327–344
Sommeijer, B.P., see **van der Houwen, P.J.** **24** (2–3) (1997) 203–218
Sommeijer, B.P., see **van der Houwen, P.J.** **25** (2–3) (1997) 243–256

Souza de Cursi, J.E. and M.B. de Souza Cortes, Approximate Gaussian distributions in optimization by random perturbation methods **30** (1) (1999) 23– 30
Spijker, M.N., Error propagation in Runge–Kutta methods **22** (1–3) (1996) 309–325
Spijker, M.N., Numerical stability, resolvent conditions and delay differential equations **24** (2–3) (1997) 233–246
Spitaleri, R.M., Computational and visual advances in multigrid grid generation **30** (1) (1999) 141–152
Spiteri, R.J. , see **Ascher, U.M.** **25** (2–3) (1997) 151–167
Spyropoulos, E.T., see **Blaisdell, G.A.** **21** (3) (1996) 207–219
Sri Ranga, A., E.X.L. de Andrade and G.M. Phillips, Associated symmetric quadrature rules **21** (2) (1996) 175–183
Starke, G., see **Schmidt, J.G.** **30** (2–3) (1999) 267–280
Steelant, J., see **Dick, E.** **23** (1) (1997) 49– 61
Steinebach, G., see **Hilden, M.** **28** (2–4) (1998) 293–308
Stetter, H.J., see **Auzinger, W.** **22** (1–3) (1996) 35– 49
Stevenson, R., Experiments in 3D with a three-point hierarchical basis preconditioner **23** (1) (1997) 159–175
Stojanović, M., Splines difference methods for a singular perturbation problem **21** (3) (1996) 321–333
Straetemans, F.A.J., Resolvent conditions for discretizations of diffusion–convection–reaction equations in several space dimensions **28** (1) (1998) 45– 67
Strand, B., Numerical studies of hyperbolic IBVP with high-order finite difference operators satisfying a summation by parts rule **26** (4) (1998) 497–521
Straughan, B., see **Dongarra, J.J.** **22** (4) (1996) 399–434
Strawn, R.C., see **Biswas, R.** **26** (1–2) (1998) 135–151
Strehmel, K., see **Eichler-Liebenow, C.** **28** (2–4) (1998) 259–274
Strehmel, K., see **Lucht, W.** **28** (2–4) (1998) 371–386
Strehmel, K., see **van der Houwen, P.J.** **28** (2–4) (1998) 91– 93
Strehmel, K., see **Wensch, J.** **22** (1–3) (1996) 381–398
Strygin, V.V., see **Blatov, I.A.** **25** (4) (1997) 321–332
Sturm, J.F. and S. Zhang, Symmetric primal–dual path-following algorithms for semidefinite programming **29** (3) (1999) 301–315
Sturm, J.F., see **Berkelaar, A.B.** **29** (3) (1999) 317–333
Stynes, M. and H.-G. Roos, The midpoint upwind scheme **23** (3) (1997) 361–374
Suvorov, A., see **Fish, J.** **23** (2) (1997) 241–258
Szymanski, B.K., see **Flaherty, J.E.** **26** (1–2) (1998) 241–263

Tachim Medjo, T., The Navier–Stokes equations in the vorticity–velocity formulation: the two-dimensional case **21** (2) (1996) 185–206
Tang, A., see **Baker, C.T.H.** **24** (2–3) (1997) 153–173
Tarrazo, M., Calculating uncertainty intervals in approximate equation systems **27** (1) (1998) 59– 67
Temam, R., see **Calgaro, C.** **23** (4) (1997) 403–442
Teresco, J.D., see **Flaherty, J.E.** **26** (1–2) (1998) 241–263

Terlaky, T., see **De Klerk, E.** **29** (3) (1999) 335–360
Terlaky, T., see **Luo, Z.-Q.** **29** (3) (1999) 379–394
Thiele, K., see **Angermann, L.** **26** (1–2) (1998) 179–191
Thompson, S., see **Corwin, S.P.** **24** (2–3) (1997) 319–330
Tolsma, J.E., see **Feehery, W.F.** **25** (1) (1997) 41– 54
Torelli, L., see **Bellen, A.** **24** (2–3) (1997) 279–293
Toutounian, F., The use of the CADNA library for validating the numerical results of the hybrid GMRES algorithm **23** (2) (1997) 275–289
Tracogna, S., see **Butcher, J.C.** **24** (2–3) (1997) 351–364
Trigiante, D., see **Brugnano, L.** **24** (1) (1997) 1– 21
Trigiante, D., see **Brugnano, L.** **25** (2–3) (1997) 169–184
Trigiante, D., see **Brugnano, L.** **28** (2–4) (1998) 127–141
Trotta, R.L., Multidomain finite elements for advection–diffusion equations **21** (1) (1996) 91–118
Tsynkov, S.V., Numerical solution of problems on unbounded domains. A review **27** (4) (1998) 465–532
Tůma, M., see **Benzi, M.** **30** (2–3) (1999) 305–340
Turi, J., see **Hartung, F.** **24** (2–3) (1997) 393–409
Turkel, E. and A. Yefet, Absorbing PML boundary layers for wave-like equations **27** (4) (1998) 533–557
Turner, P.R., see **Feldstein, A.** **21** (3) (1996) 221–239

Usmani, A.S., An h-adaptive SUPG-FEM solution of the pure advection equation **26** (1–2) (1998) 193–202

Van Daele, M., H. De Meyer, T. Van Hecke and G. Vanden Berghe, On a class of P-stable mono-implicit Runge–Kutta–Nyström methods **27** (1) (1998) 69– 82
Vanden Berghe, G., see **Van Daele, M.** **27** (1) (1998) 69– 82
Vandenberghe, L. and S. Boyd, Applications of semidefinite programming **29** (3) (1999) 283–299
van der Houwen, P.J. and B.P. Sommeijer, CWI contributions to the development of parallel Runge–Kutta methods **22** (1–3) (1996) 327–344
van der Houwen, P.J. and B.P. Sommeijer, Euler–Chebyshev methods for integro–differential equations **24** (2–3) (1997) 203–218
van der Houwen, P.J., B.P. Sommeijer and J. Kok, The iterative solution of fully implicit discretizations of three-dimensional transport models **25** (2–3) (1997) 243–256
van der Houwen, P.J., K. Strehmel and R. Weiner, Preface **28** (2–4) (1998) 91– 93
van der Houwen, P.J. and W.A. van der Veen, The solution of implicit differential equations on parallel computers **25** (2–3) (1997) 257–274
van der Houwen, P.J., see **Eichler-Liebenow, C.** **28** (2–4) (1998) 245–258
van der Ploeg, A., see **Botta, E.F.F.** **24** (4) (1997) 439–455
van der Veen, W.A., see **van der Houwen, P.J.** **25** (2–3) (1997) 257–274

Vande Wouwer, A., P. Saucez and W.E. Schiesser, Some user-oriented comparisons of adaptive grid methods for partial differential equations in one space dimension **26** (1–2) (1998) 49– 62
Van Hecke, T., see **Van Daele, M.** **27** (1) (1998) 69– 82
Van Leersum, J., A numerical model of a high performance two-stroke engine **27** (1) (1998) 83–108
van Veldhuizen, M., J.A. Hendriks and C.A.J. Appelo, Numerical computation in heterovalent chromatography **28** (1) (1998) 69– 89
Vermiglio, R., see **Bellen, A.** **22** (1–3) (1996) 63– 79
Vermiglio, R., see **Jackiewicz, Z.** **22** (1–3) (1996) 251–262
Vermiglio, R., see **Jackiewicz, Z.** **24** (2–3) (1997) 265–278
Verner, J.H., High-order explicit Runge–Kutta pairs with low stage order **22** (1–3) (1996) 345–357
Verwer, J.G., Explicit Runge–Kutta methods for parabolic partial differential equations **22** (1–3) (1996) 359–379
Verwer, J.G., see **Frank, J.** **25** (2–3) (1997) 193–205
Vignes, J., see **Alt, R.** **21** (2) (1996) 119–139
Vuik, C., see **Botta, E.F.F.** **24** (4) (1997) 439–455
Vuik, C., see **Frank, J.** **30** (4) (1999) 403–423

Wagner, B. and R. Weiss, Minimization properties and short recurrences **30** (2–3) (1999) 175–190
Wagner, Y., A moving grid algorithm for a heat exchanger with phase changes **28** (2–4) (1998) 477–491
Wain, R.J., Spurious fixed points of a variable step size, variable order, predictor corrector algorithm **27** (2) (1998) 155–169
Walker, D.W., see **Dongarra, J.J.** **22** (4) (1996) 399–434
Walther, A., A. Griewank and A. Best, Multiple vector–Jacobian products are cheap **30** (2–3) (1999) 367–377
Wang, C., see **Zhao, S.** **25** (1) (1997) 117–133
Wang, X., Convergence for the MSOR iterative method applied to H-matrices **21** (4) (1996) 469–480
Wanner, G., see **Butcher, J.C.** **22** (1–3) (1996) 113–151
Warnock, R.L. and J.A. Ellison, From symplectic integrator to Poincaré map: spline expansion of a map generator in Cartesian coordinates **29** (1) (1999) 89– 98
Webster, J.R., see **Evans, G.A.** **23** (2) (1997) 205–218
Weiner, R., B.A. Schmitt and H. Podhaisky, ROWMAP—a ROW-code with Krylov techniques for large stiff ODEs **25** (2–3) (1997) 303–319
Weiner, R., see **Eichler-Liebenow, C.** **28** (2–4) (1998) 259–274
Weiner, R., see **Podhaisky, H.** **28** (2–4) (1998) 413–425
Weiner, R., see **Schmitt, B.A.** **28** (2–4) (1998) 427–437
Weiner, R., see **van der Houwen, P.J.** **28** (2–4) (1998) 91– 93
Weiner, R., see **Wensch, J.** **22** (1–3) (1996) 381–398
Weiss, R. and I. Podgajezki, Overview on new solvers for nonlinear systems **30** (2–3) (1999) 379–391
Weiss, R., see **Häfner, H.** **30** (2–3) (1999) 213–224

Weiss, R., see **Wagner, B.** **30** (2–3) (1999) 175–190
Wensch, J., An eight stage fourth order partitioned Rosenbrock method for multibody systems in index-3 formulation **27** (2) (1998) 171–183
Wensch, J., K. Strehmel and R. Weiner, A class of linearly-implicit Runge–Kutta methods for multibody systems **22** (1–3) (1996) 381–398
Wittum, G., see **Bey, J.** **23** (1) (1997) 177–192
Wohlmuth, B., see **Hoppe, R.H.W.** **23** (1) (1997) 97–117
Wolke, R., see **Knoth, O.** **28** (2–4) (1998) 327–341
Wright, R.W., see **Cash, J.R.** **28** (2–4) (1998) 227–244
Wubs, F.W., see **Botta, E.F.F.** **24** (4) (1997) 439–455

Yefet, A., see **Turkel, E.** **27** (4) (1998) 533–557
Yeomans, K.D., see **Campbell, S.L.** **28** (2–4) (1998) 209–226
Yu, H., Solving parabolic problems with different time steps in different regions in space based on domain decomposition methods **30** (4) (1999) 475–491

Zanna, A., see **Calvo, M.P.** **22** (1–3) (1996) 153–163
Zarantonello, S.E., SGI parallel technology for graphics and visualization **30** (1) (1999) 113–123
Zegeling, P.A., r-refinement for evolutionary PDEs with finite elements or finite differences **26** (1–2) (1998) 97–104
Zennaro, M., see **Hairer, E.** **22** (1–3) (1996) 205–216
Zennaro, M., see **Jackiewicz, Z.** **22** (1–3) (1996) 251–262
Zennaro, M., see **Jackiewicz, Z.** **24** (2–3) (1997) 265–278
Zhang, G., see **Zhao, S.** **25** (1) (1997) 117–133
Zhang, J., Multigrid with inexact minimal residual smoothing acceleration **24** (4) (1997) 501–512
Zhang, M. and R.D. Skeel, Cheap implicit symplectic integrators **25** (2–3) (1997) 297–302
Zhang, S., see **Berkelaar, A.B.** **29** (3) (1999) 317–333
Zhang, S., see **Sturm, J.F.** **29** (3) (1999) 301–315
Zhang, T., G.H. Golub and K.H. Law, Eigenvalue perturbation and generalized Krylov subspace method **27** (2) (1998) 185–202
Zhao, H.-K., see **Engquist, B.** **27** (4) (1998) 341–365
Zhao, S., G. Zhang and C. Wang, The convergence of two Newton-like methods for solving block nonlinear equations and a class of r-point $(r+1)$st-order A-stable one-block methods **25** (1) (1997) 117–133
Zhong, Y., see **Campbell, S.L.** **25** (4) (1997) 391–412
Zhu, W. and L.R. Petzold, Asymptotic stability of linear delay differential–algebraic equations and numerical methods **24** (2–3) (1997) 247–264
Zhu, W. and L.R. Petzold, Asymptotic stability of Hessenberg delay differential–algebraic equations of retarded or neutral type **27** (3) (1998) 309–325
Ziantz, L.H., see **Flaherty, J.E.** **26** (1–2) (1998) 241–263